

Operational Equipment; Robots (E54.08.01)









Standard Test Methods for Response Robots

ASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Standard Test Methods for Response Robots

ASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)










Standard Test Methods for Response RobotsASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)





Combined Visual Acuity Target



a standard 100 mm in size.

The nested Landolt C symbols represent features of size 20 mm, 8 mm, 3.2 mm, 1.3 mm and 0.52 mm.

The QR Code represents features of size 3.2 mm.

For proper calibration, this bar should be 50 mm (1.97 in) long.



Standard Test Methods for Response Robots

ASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)









Standard Test Methods for Response RobotsASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)









Standard Test Methods for Response RobotsASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Standard Test Methods for Response Robots

ASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Standard Test Methods for Response Robots

ASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Operational Equipment; Robots (E54.08.01)









Standard Test Methods for Response RobotsASTM International Standards Committee on Homeland Security Applications; Operational Equipment; Robots (E54.08.01)





